


**Easily carried in a shirt pocket**

These tiny meters are less than 3/4" thick and weigh only 4 oz (120 g). The controls, display and sensor are all neatly contained and protected within the folding case. Directions are printed right inside the cover. When open, the sensor may be extended for remote use or snaps into a fixed position atop the case. Both units feature bar graph display, auto power off, hold functions and indicate low battery and over range. Powered by 2 button cell batteries (included). N.I.S.T. Traceable Calibration Report available.

DIM: 4 1/2" x 3" x 3/4" (114 x 76 x 19 mm).

WEIGHT: 3.9 oz (111 g).

Model:	Pocket Laser Power Meter - 840011
Range	Calibrated at 633 nm but can also read any other wavelength in the 400 to 1100 nm range using a chart inside the case cover. Can calibrate directly to any other 400 to 1100 nm wavelength for special orders, with a 4 month lead time.
Resolution	0.01 uW
Accuracy	±5% @calibrated wavelength 633 nm / 1 mW
Additional Features	Min/Max
Cord Length	15"
Probe Dim	3 1/2" x 1/2" x 1/2" (89 x 13 x 13 mm)
Operating Temp.	0 to 40°C
Operating RH	80% non condensing, maximum



**No. Description**

**840011 Pocket Laser Power Meter**



Scan this QR code to view our product demo.