

INSTRUCTION MANUAL



HI985394 Digital Thermometer



Dear Customer,

Thank you for choosing a Hanna Instruments product. Please read this instruction manual carefully before using the thermometer. For more information about Hanna Instruments and our products, visit www.hannainst.com or e-mail us at sales@hannainst.com.

For technical support, contact your local Hanna Instruments Office or e-mail us at tech@hannainst.com.

Preliminary Examination

Remove the thermometer and accessories from the packing material and examine it carefully. If you require any further information, please contact Hanna Instruments technical support team at tech@hannainst.com. HI985394 is delivered in a cardboard box and is supplied with:

- 1.5V AAA battery (3 pcs.)
- Instruction manual with instrument quality certificate printed on the back

General Description & Intended Use

HI985394 is a high-accuracy thermometer connected to a stainless steel probe by a 3m (9.9') flexible, silicone cable.

The probe incorporates an NTC thermistor sensor, providing accurate temperature measurements compliant with HACCP requirements.

Lightweight and easy to clean, it is ideal for checking temperature inside pools.

Specifications

Range	-20.0 to 80.0 °C (-4.0 to 176.0 °F)
Resolution	0.1 °C (0.1 °F)
Accuracy	±0.3 °C (±0.5 °F)
Probe	Weighted stainless steel probe with silicone cable (3 m / 9.9')
Battery Type / Life	3 x 1.5V AAA alkaline / approximately 2 years of use
Auto Off	8 min. (default), 60 min. or OFF
Environment	-30 to 50°C (-22 to 122°F); IP65
Dimensions	107 x 59 x 17 mm (4.2 x 2.3 x 0.7")
Weight	109 g (3.8 oz.)

Operation

Press the **ON/OFF** button to turn the thermometer on.

CAL Check automatically verifies the thermometer circuit accuracy at 0.0°C.

During start up, the calibration of the thermometer's circuit is checked and the result is briefly displayed to show the calibration result.

"CAL" and "-0-" indicate that the instrument performs within specifications.

"Err" displayed during measurement indicates that the user has to wait for the reading to stabilize.


Note: The CAL Check system can only check the electronic circuit calibration and does not check the sensor of the thermometer. It is recommended to check the sensor by performing an ice test or comparative test against a reference thermometer.

Meter Setup

Remove the battery cover to find the **SET** button located inside.

Press **SET** button once for temperature unit selection and twice for auto shut-off selection. With current temperature unit displayed:

- Press the **ON/OFF** button to select "°C" or "°F". Press **SET** once to save.
- Press the **ON/OFF** button to navigate Auto shut-off options: 8 minutes ("d08", default), 60 minutes ("d60"), OFF ("d--"). Press the **SET** button once to save.



Battery Replacement

When the battery symbol is displayed blinking, or the thermometer does not turn on, batteries need to be replaced. To replace the batteries:

1. Remove the four screws on the back of the instrument to open the battery compartment.
2. Remove the old batteries.
3. Insert three new 1.5V AAA batteries in the battery compartment while paying attention to the correct polarity. Do not mix old and new Alkaline batteries.
4. Close the battery compartment using the four screws.

Note: Only use the battery type specified in this instruction manual. Old batteries should be disposed in accordance with local regulations.

Certification

All Hanna Instruments conform to the CE European Directives.



Disposal of Electrical & Electronic Equipment. The product should not be treated as household waste. Instead hand it over to the appropriate collection point for the recycling of electrical and electronic equipment which will conserve natural resources.

Disposal of waste batteries. This product contains batteries, do not dispose of them with other household waste. Hand them over to the appropriate collection point for recycling.

Ensuring proper product and battery disposal prevents potential negative consequences for the environment and human health. For more information, contact your city, your local household waste disposal service, the place of purchase or go to www.hannainst.com.

Recommendations for Users

Before using this thermometer, make sure that it is entirely suitable for your specific application and for the environment in which it is used. Any variation introduced by the user to the supplied equipment may degrade the thermometer's performance. For your and the thermometer's safety do not use or store the thermometer in hazardous environments.

Warranty

HI985394 is warranted for a period of one year against defects in workmanship and materials when used for its intended purpose and maintained according to instructions. This warranty is limited to repair or replacement free of charge. Damage due to accidents, misuse, tampering or lack of prescribed maintenance is not covered. If service is required, contact your local Hanna Instruments Office. If under warranty, report the model number, date of purchase, serial number and the nature of the problem. If the repair is not covered by the warranty, you will be notified of the charges incurred. If the instrument is to be returned to Hanna Instruments Office, first obtain a Returned Goods Authorization (RGA) number from the Technical Service department and then send it with shipping costs prepaid. When shipping any instrument, make sure it is properly packaged for complete protection.

Hanna Instruments reserves the right to modify the design, construction, or appearance of its products without advance notice.

All rights are reserved. Reproduction in whole or in part is prohibited without the written consent of the copyright owner, Hanna Instruments Inc., Woonsocket, Rhode Island, 02895, USA.